GENERIC NAME: ETHINYL ESTRADIOL + LEVONORGESTREL

				should be taken				
43	Generic (DKT Phils) DRP-610	Ethinyl estradiol and levonorgestrel are used together in this product as an emergency contraceptive (EC) to prevent pregnancy after contraceptive failure or unprotected intercourse. Ethinyl estradiol and levonorgestrel prevent ovulation (the release of an egg from an ovary), disrupt fertilization (joining of the egg and sperm), and **inhibit implantation (attachment of a fertilized egg to the uterus).**	http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html			Tablet 30 mcg + 150 mcg	DKT Phils	✓

SE- Side effect

39. JULIANNE
http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html
40. SAFE PILL (DR-XY38579)
http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html
41. SAFE PILL (DR-XY38580)
http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html
42. NORDIOL
a. http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html
b. http://home.intekom.com/pharm/akromed/nordiol.html
43. Generic (DKT Phils)
http://www.drugs.com/mtm/ethinyl-estradiol-and-levonorgestrel.html

SE- Side effect

Drugs.com

ethinyl estradiol and levonorgestrel

Generic Name: ethinyl estradiol and levonorgestrel (EC) (ETH ih nill ess tra DYE all and lee voe nor JESS trell)
Brand Name: *Preven EC, Seasonique*

What is ethinyl estradiol and levonorgestrel (EC)?

Ethinyl estradiol and levonorgestrel are forms of estrogen and progesterone, which are both female hormones involved in conception.

Ethinyl estradiol and levonorgestrel are used together in this product as an emergency contraceptive (EC) to prevent pregnancy after contraceptive failure or unprotected intercourse. **Ethinyl estradiol and levonorgestrel prevent ovulation (the release of an egg from an ovary), disrupt fertilization (joining of the egg and sperm), and inhibit implantation (attachment of a fertilized egg to the uterus).**

Ethinyl estradiol and levonorgestrel (EC) may also be used for purposes other than those listed in this medication guide.

Maybank Photography Awards

Join the Maybank Photography Awards 2013 and stand to win prizes worth up to USD35,000!

Visit maybankphotoawards.com or click here for more info.

Maybank

What is the most important information I should know about ethinyl estradiol and levonorgestrel (EC)?

The first dose of ethinyl estradiol and levonorgestrel (EC) must be taken as soon as possible and within 72 hours of having unprotected sex, and the second dose 12 hours following the first, to be effective.

Ethinyl estradiol and levonorgestrel (EC) does not protect you from sexually transmitted diseases--including HIV and AIDS.

What should I discuss with my healthcare provider before using ethinyl estradiol and levonorgestrel (EC)?

Before taking ethinyl estradiol and levonorgestrel (EC), tell your doctor if you

- have high blood pressure, angina, or heart disease;
- have had a stroke;
- have a bleeding or blood-clotting disorder;
- have breast, uterine, or another hormone-related cancer;
- have liver disease;
- have undiagnosed, abnormal vaginal bleeding;